DGCA — 57/**IP/3/26**

57th CONFERENCE OF DIRECTORS GENERAL OF CIVIL AVIATION ASIA AND PACIFIC REGIONS

Incheon, Republic of Korea 4 – 8 July 2022

AGENDA ITEM 3: AVIATION SAFETY

SAFETY ASSURANCE OF GROUND-BASED ASSOCIATED ELEMENTS OF UNMANNED AIRCRAFT SYSTEMS

Presented by United States/Federal Aviation Administration

INFORMATION PAPER

SUMMARY

The Federal Aviation Administration (FAA) has been actively working type certification projects for Unmanned Aircraft Systems (UAS), referred to herein as drones. This paper provides information on the FAA's policy memo, "FAA Approval of UAS Special Class Unmanned Aircraft (UA) Projects and their Associated Elements," which details the policy for type certification of low-risk drones using the Durability and Reliability Means of Compliance. This policy outlines the FAA's approach to limit the boundary of type certification to the drone only, and approve the ground-based Associated Elements (AE) through an operational approval.


SAFETY ASSURANCE OF GROUND-BASED ASSOCIATED ELEMENTS OF UNMANNED AIRCRAFT SYSTEMS

1. INTRODUCTION

1.1 The FAA issued its first type certificates (TC) to drones in 2013, in support of operations in the Arctic. Since that time, the FAA has gained experience with type certification of drones, including new insights and knowledge. As the FAA has continued working with the public and industry to create and refine standards for drones, it has determined that a change to type certification policy is necessary. The FAA will issue a TC for drones, and will approve the use of AE through operational limitations and operational approvals.


2. DISCUSSION

2.1 The FAA defines a drone as a UA and its AE, which includes communication links and the components that control the UA that are required to operate the drone safely and efficiently in the U.S. national airspace system (NAS). AE are elements that are not airborne or directly affixed to the aircraft.



2.2 As the FAA progressed with type certification projects that included AE in the type design, several issues arose. Some AE, such as launch-and-recovery systems or fleet-management software, are frequently used with more than one drone. Including these components within the type design of the drone raised challenges for the certificate of airworthiness for individual drones and continued conformance to type design. Post-type certification changes to these AE could pose extensive aircraft recordkeeping and configuration management challenges, such as keeping track of which specific AE are associated with specific UA and recording an alteration of an AE in the maintenance records of many drones.

2.3 The FAA plans to use current projects to establish the groundwork for the future. As such, the FAA is undertaking a deliberate policy positioning to avoid establishing an incorrect precedent. Title 14 of the United States Code of Federal Regulations (CFR), Chapter 1, Part 21 (i.e. 14 CFR 21), *Certification Procedures for Products and Articles*, and 14 CFR 43, *Maintenance, Preventive Maintenance, Rebuilding, and Alteration,* were written for certificated products with all systems affecting airworthiness on board an aircraft. These regulations did not consider many of the unique features of drone designs that many applicants are proposing, including ground-based control stations and radar, cloud computing, and cellular/satellite communications. Applying these regulations to AE is impractical and does not provide an appropriate oversight methodology for the unique nature of these items.



2.4 In July 2021, the FAA published a memorandum on the approval of UAS special class drone projects and their associated elements, which outlined policy for drones that use Durability and Reliability (D&R) testing in the special class airworthiness criteria. This policy outlined that the regulations for type design approval, production approval, conformity, certificates of airworthiness, and maintenance are only to be applied to drones, and not to the associated elements. However, because safe drone operations depend and rely upon both the drone and the AE, the FAA will consider the AE in assessing whether the drone meets the criteria that comprise the certification basis. While the AE items themselves are outside the scope of the drone type design, the TC applicant must provide sufficient specifications for any aspect of the AE that could affect airworthiness. The use of AE may be approved with certain specifications as an operating limitation and be included in the Type Certificate Data Sheet (TCDS) and flight manual. This is an analogous approach to how the use of aviation fuels is approved, as fuel specifications are contained in operating limitations of the TC.

2.5 Similar to FAA regulations 14 CFR 21 and 43, regulations in 14 CFR 91, *General Operating and Flight Rules*, were not originally drafted to accommodate drone operations. The FAA enables compliance with 14 CFR 91 regulations for drone operations by providing regulatory relief through the exemption or waiver process. During this evaluation, the FAA may observe the operational suitability of the UAS in order to develop appropriate conditions and limitations that assure the safety of the operation. These conditions and limitations could contain specifications for services and systems that are not covered by the airworthiness criteria in the TC for the drone but that are necessary to assure the safety of the proposed operation in consideration of the regulatory relief granted.

2.6 This approach underscores the importance of a holistic assessment of the drone and its proposed operation to appropriately define proper mitigations through certification requirements and operational limitations. This policy reflects a first step for the FAA to position itself for the future to integrate new drone solutions into the NAS. Future policy will expand on this Policy Memo to provide details on the approach for additional drones.

2.7 The memorandum discussed in paragraph 2.4 above, *FAA Approval of UAS Special Class UA Projects and their Associated Elements*, is available on the FAA website: <u>AIR600-21-AIR-600-PM01 (https://drs.faa.gov/browse/excelExternalWindow/115a6df8-5440-438c-ac3b-f31c6797409a)</u>

3. ACTION BY THE CONFERENCE

3.1 The Conference is invited to note the information contained in this Paper.

— END —